

Mobile document reader Regula 7308



The most compact mobile full page passport reader with no moving parts inside.

Automatic reading and authenticity verification of passports, IDs, visas, driver's licenses and other identification documents.

Optical character recognition, reading of barcodes, RFID chips.

A mobile compact size model with a shoulder strap. The body is made of hard plastic (IP54). Full data processing onboard with a built-in PC. The reader can be connected to an external PC or any other visualization device (tablet PC, smart phone, etc.)* via wireless network (Wi-Fi). Power supply: two rechargeable batteries (hot change is possible). No moving parts. Reliable, convenient and easy-to-use.

The device allows capturing images in white, infrared, ultraviolet and coaxial lights. It has a module for reading RFID chips. The device is supplied with software development kit (SDK) for easy integration into existing end-user systems.

* – supplied optionally

Functionality

- Capturing and processing images
 - supported document formats
 - ID-1
 - ID-2
 - ID-3
 - other documents with maximum size 88×128 mm
 - automatic detection of a document in a scanning zone
 - automatic scanning after document detection
 - elimination of glare from laminate and holograms in white and IR light
 - compensation of external light hitting during image capture in ultraviolet light (*Smart UV*)
 - automatic selection of UV illumination intensity according to the document type
 - search and cropping of a document image from a general image
- The MRZ detection and recognition
- Recognition and reading of 1D and 2D barcodes
- Automatic recognition of a document type
- Processing graphic fields
- OCR of the visual zone
- Reading RFID tags
- Analyzing and comparing text data
- Automatic authenticity verification of a document

Operation

1. The optical reader automatically detects a document in the scanning area of the device.
2. Document images are captured in different illumination modes. At the same time data is read from RFID tags and smart cards.
3. **Regula Document Reader SDK** processes data.
4. Results of the verification are ready for further use.

Application

- Border control services
- Aviation security services
- Law-enforcement agencies
- Immigration services
- Financial institutions
- Hotels
- Car rental and leasing companies
- Cellular companies
- Business centers security service
- Event-agencies
- Medical institutions
- Tourist agencies

- Ticket offices
- Visa support agencies and consulates
- Insurance companies
- Casino security service

Delivery Set

- **Regula Document Reader SDK**

MOBILE DOCUMENT READER REGULA		Model
		7308.111
Optical reader		
Light sources	White	+
	Infrared 870 nm	+
	Ultraviolet 365 nm	+
	Coaxial white	+
Camera sensor, megapixels		3.1
Image resolution, ppi		380
Frame size, pixels		2048×1536
Scanning area, mm		88×128 – full passport page
Video sensor type		CMOS
Color model		RGB
Color depth, bit		24
RFID Reader (details)		+
Built-in PC (details)		+
Technical Specifications		
Scratch resistant glass (Sapphire)		optionally
Dimensions (L×W×H), mm		225×170×102
Weight, kg, max		1.7
Power supply — two rechargeable batteries, Ah/V, min		4.4/7.2
Time of autonomous operation with two fully charged batteries, h, min		7.5
Certificates		
CE		+
Climatic Conditions		
Relative air humidity		up to 80% (non-condensing)
Air temperature, °C		+5...+40
IP rating		IP54
RFID Reader		
Standards supported		ISO 14443: type A and B
Data exchange rate, Kbaud		106, 212, 424, 848
RFID tag positioning		RFID reading regardless of tag position in the document
Anti-collision		reading an RFID tag according to the MRZ
Built-in PC		
CPU, GHz, min		1.1

RAM, Gb, min	2
SSD, Gb, min	32
Connection interface with result visualization device	Wi-Fi with up to 150 Mbps speed
USB 2.0 ports	1

Document reader software development kit (SDK)

SDK (**Full**) consists of three modules:

- Basic – supplied together with a device by default
- VizOCR – reading textual fields from a document page
- AAC – automatic authenticity control

VizOCR and AAC modules are optional and used to extend the functionality of Basic module.

Updates for SDK are provided regularly. Basic module has unlimited support. VizOCR and AAC are updated on subscription basis.

Functionality		Full SDK modules		
		Basic (supplied by default)	VizOCR	AAC
Document image capture and processing				
Document formats	• ID-1 (identity card) • ID-2 (passport card, visa) • ID-3 (passport) • other document formats up to 88×128 mm	+		
Scanning process	• document detection sensor • automatic scanning after document detection • elimination of glare from laminate and holograms for white and infrared illumination • compensation of external light hitting during image capture in UV light (Smart UV) • automatic intensity selection of UV illumination for a certain document type • search and cropping of a document image from a received image	+		
Machine readable zone (MRZ)				
Supported MRZ formats	• in conformity with ICAO 9303: ◦ 44×2 ◦ 30×3 ◦ 36×2 • in conformity with ISO IEC 18013 (IDL): ◦ 30×1 • support of special MRZ data structure for documents of certain countries	+		
Features	• search for the MRZ along the whole document image • MRZ recognition in infrared and white light • control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 • evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards	+		
Barcodes				
Supported formats	• 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial), UPC-A, UPC-E	+		

	• 2D: PDF417, Aztec Code, QR Code, Datamatrix			
Authentication	• barcode format check			+
Automatic document type recognition				
Order of document type recognition	• Country→Type→Series		+	+
Features	• receiving a document template from the SDK database containing the following information: ◦ text and graphic fields position ◦ availability of barcodes and security features ◦ authenticity verification and its parameters ◦ RFID-chip availability ◦ a reference image from Information Reference Systems «Passport», «Autodocs», «Frontline Documents System» • processing of the received document images in compliance with the sample, including document image rotation by the angle given in the sample		+	+
Graphic fields processing				
Types of graphic fields	• portrait of the document holder • signature • barcode • fingerprint, etc.	+		
Features	• cropping and displaying graphic fields as separate images in compliance with the sample of the corresponding document • automatic searching of faces on the document image and cropping the document holder portrait if the document type is not recognized • document image rotation according to the document holder portrait position	+		
OCR of the visual zone				
Recognition of character sets	• Central European and Eastern European Latin (1250) • Cyrillic (1251) • Western European Latin (1252) • Greek (1253) • Turkish (1254) • Baltic (1257) • other fonts of any size		+	
Features	• dictionary support (name, surname, address, country, etc.) • automatic text division into separate fields (e.g. dividing the address into postal code, country, state, etc.) • recognition of dates with complex formats • recognition of characters from different character sets in one line		+	
RFID SDK				
Supported RFID-chip standards	• ISO/IEC 14443-2 (type A and B) • ISO/IEC 14443-3 (MIFARE® Classic Protocol) • ISO/IEC 14443-4	+		
Data access modes	• Direct • BAC • EAC	+		

	• PACE • SAC			
Authentication	• active (AA) • passive (PA) • chip (CA v1, CA v2) • terminal (TA v1, TA v2)	+		
Supported applications	• ePassport (DG1–DG16) • eID (DG1–DG21) • eSign • eDL (DG1–DG14)	+		
Certificate management	• local storage • receiving certificates online through the program interface • Master List, CRL support	+		
Features	• reading RFID chips with extended length support • reading RFID chips in compliance with ICAO LDS 1.8, PKI 1.1 data formats • certified by BSI TR-03105 Part 5.1, BSI TR-03105 Part 5.2	+		
Analysis and comparison of text data				
Document areas for cross-checking of the readout data	• MRZ • VIZ • RFID-chip • barcode	+		
Verification	• validity of any dates • authenticity of names and surnames according to lists of wordstops • zero numbers of sample documents	+		
Adjustment of formats and measuring units to those used in the user OS	• date • weight • height, etc.	+		
Features	• complete or partial comparison of fields • integration of data received from several document pages • calculated field support (age, etc.) • transliteration to Latin characters in compliance with ICAO 9303 standards for comparison with the MRZ	+		
Authenticity verification				
Operation available for any document	• checking luminescence (UV Dull Paper) of: ◦ the form ◦ the MRZ area ◦ the portrait area • checking the MRZ print contrast in compliance with ICAO 9303 (IR B900 Ink)	+		
Operations available after document type recognition	• checking image patterns in white, IR and UV light • checking luminescence of UV protection fibers • detection of false luminescence • checking photo embedding type: printing or attachment • checking IR Visibility of: ◦ elements of the form ◦ text data ◦ the photograph (main and additional)			+

	• detection of holograms (OVD), OVI • reading a luminescent text and comparing it with the data obtained from the MRZ and VIZ (OCR Security Text) • visualization of IPI (Invisible Personal Information) • checking retroreflective protection • checking barcode format			
Features	• checking operations are adjusted to documents with different degrees of wear and tear • the choice of checking operations depends on security features available in a questioned document			+
Additional SDK functions				
Image formats	• .BMP • .JPG • .JP2 • .PNG • .TIF • other image formats are possible on request	+		
Interoperability	• comparison modules: ◦ fingerprint images from RFID chip and external fingerprint scanner ◦ face images from document data page and/or RFID chip • Information Reference Systems «Passport», «Autodocs», «Frontline Documents System»	*		
OS compatibility	• Windows 7 (x86, x64), Windows 8, Windows 10, Windows 11, Ubuntu 20.04—24.04, Debian 11—12, RHEL 9, macOS 11+	+		
Drivers	• Microsoft certified	+		
Features	• simultaneous optical scanning and RFID chip reading • firmware upgrade via USB interface (automatic upgrade after installing new SDK version) • multilingual interface	+		
Software updates				
SDK	• twice a year	*		
Document template database	• monthly	*		

* – on request / individual agreement

Visual zone

Visual Inspection Zone (OCR VIZ)

Barcode (personal data)



White

Machine Readable Zone (OCR MRZ)



IR

Invisible text (OCR Security text)



UV

RFID-chip (Radio-frequency identification)



Document data readout: textual data readout

Visual zone




Portrait

Signature



"Ghost" portrait

RFID-chip (Radio-frequency identification)



Portrait

Fingerprint

Signature

Document data readout: graphic data readout

White



Performed security checks in white light

White

IR

Performed security checks in infrared light

White



IR visibility elements in blank



IR

UV



Coaxial white



Checking the blank of the document

White

Personal data comparison




IR

IR visibility fill



IR B900

UV



Coaxial white

Retroreflective protection



Checking the personal data

Document Reader

Images

Details

Documents Database (IRS)

Documents Database (FOS)

Overall result

Document Class: Issuing State: Document type:

PM KOR Republic of Korea - ePassport #2

Document # M24403909

Date of birth 01.01.1975

Date of expiry 30.03.2018

Sex M

Surname And Given Names HONG KIL DONG

Overall result

MRZ

Document type

Text data comparison

Security Features

Overall result

RPD

DG

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

EF.COM EF.SOD EF.CVCA

Overall result

BAC

PAGE

CA

TA

AA

PA

Document processing is finished

0.04.201

DR SK v.4.8

RPD SK v.3.1

R10.15

Viewing the passport from IRS database

Document Reader

Images

Details

Documents Database (IRS)

Documents Database (FOS)

Overall result

Document Class: Issuing State: Document type:

PM KOR Republic of Korea - ePassport #2

Document # M24403909

Date of birth 01.01.1975

Date of expiry 30.03.2018

Sex M

Surname And Given Names HONG KIL DONG

Overall result

MRZ

Document type

Text data comparison

Security Features

Overall result

RPD

DG

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

EF.COM EF.SOD EF.CVCA

Overall result

BAC

PAGE

CA

TA

AA

PA

Document processing is finished

0.04.201

DR SK v.4.8

RPD SK v.3.1

R10.15

MRZ of the passport



Visual zone of the passport



RFID-chip of the passport

The screenshot displays the Regula Document Reader interface with the 'Text data comparison' tab selected. The main window shows a scanned passport from the Republic of Korea, issued to KIL DONG, with a date of birth of 01 JAN 1975 and a date of expiry of 10 MAR 2018. The passport number is M24403909. The 'Details' panel on the right provides a comprehensive comparison of the passport's data with the stored document. The comparison table includes fields such as Field type, Valid zone, Valid zone OCL, Valid zone, and Valid. The 'Overall result' section shows a green circle indicating a successful comparison. The 'RFID' section displays the document's data, including the document class, issuing state, document type, document number, date of birth, date of expiry, sex, surname, and given names. The 'Overall result' section also shows a green circle indicating a successful comparison.

Field type	Valid zone	Valid zone OCL	Valid zone	Valid
Document Class Code	PM	PM	PM	
Issuing State Code	KOR	KOR	KOR	
Document #	M24403909	M24403909	M24403909	
Date of expiry	10.03.2018	10.03.2018	10.03.2018	
Date of issue	01.01.1975	01.01.1975	01.01.1975	
Personal #	12345678901234567890	12345678901234567890	12345678901234567890	
Surname	HONG	HONG	HONG	
Given names	KIL DONG	KIL DONG	KIL DONG	
Sex	M	M	M	
Surname And Given Names	HONG KIL DONG	HONG KIL DONG	HONG KIL DONG	
Nationality Code	KOR	KOR	KOR	
Check digit of document number	7	7	7	
Check digit of birth date	2	2	2	
Check digit of expiry date	5	5	5	
Check digit of Personal #	4	4	4	
Final check digit	8	8	8	
Age	39	39	39	
Months to expire	40	40	40	

Text data comparison of the passport

The screenshot displays the Regula Document Reader interface with the 'Graphic data comparison' tab selected. The main window shows the same scanned passport from the Republic of Korea. The 'Details' panel on the right provides a comprehensive comparison of the passport's data with the stored document. The comparison table includes fields such as Field type, Valid zone, Valid zone OCL, Valid zone, and Valid. The 'Overall result' section shows a green circle indicating a successful comparison. The 'RFID' section displays the document's data, including the document class, issuing state, document type, document number, date of birth, date of expiry, sex, surname, and given names. The 'Overall result' section also shows a green circle indicating a successful comparison.

Field type	Valid zone	Valid zone OCL	Valid zone	Valid
Document Class Code	PM	PM	PM	
Issuing State Code	KOR	KOR	KOR	
Document #	M24403909	M24403909	M24403909	
Date of expiry	10.03.2018	10.03.2018	10.03.2018	
Date of issue	01.01.1975	01.01.1975	01.01.1975	
Personal #	12345678901234567890	12345678901234567890	12345678901234567890	
Surname	HONG	HONG	HONG	
Given names	KIL DONG	KIL DONG	KIL DONG	
Sex	M	M	M	
Surname And Given Names	HONG KIL DONG	HONG KIL DONG	HONG KIL DONG	
Nationality Code	KOR	KOR	KOR	
Check digit of document number	7	7	7	
Check digit of birth date	2	2	2	
Check digit of expiry date	5	5	5	
Check digit of Personal #	4	4	4	
Final check digit	8	8	8	
Age	39	39	39	
Months to expire	40	40	40	

Graphic data comparison of the passport

The screenshot displays two windows from a forensic analysis tool. The left window, titled 'Document Reader', shows three pages of a document. The first page is a cover sheet with a spiral pattern and text. The second page is a document with a spiral pattern and text. The third page is a document with a spiral pattern and text. The right window, titled 'Details', shows analysis results for a document. It includes a large image of a document page with a spiral pattern and text. The image is labeled 'KIL DO KIL DO'. Below the image, there is a table with columns for 'Element #1' and 'Strategy'. The table contains one row with the value '1234567'. The bottom of the window shows 'Photo embedding type'.

<http://www.regulaforensics.com/>